

 **FEATURES****SB-2**

Electric steam boiler with steam iron.
Die-cast aluminium boiler, capacity 1,8 liters, heater 1 kW.
Manually operated water feeding (drinking water required for its functioning).
Automatic pressure control by thermostat with fixed setting.
Mobile trolley as option.
Voltage: 230V I +N 50-60Hz.

SB-5


Stainless steel electric steam boiler with electric steam iron.
Boiler capacity 5 liters, heater 1,45 kW.
Water level indicator with warning light for empty boiler.
Three safety devices fitted on the boiler: pressure switch, safety valve and safety thermostat.
Manual water feed.
Mobile trolley as option.
Voltage: 230V I +N 50Hz.

SB-24

Electric and automatic steam boiler SB-24 to supply steam to models without boiler. Available from 12 to 22 kW.
Water feed can be connected directly to the water mains or to a condensate tank. Pressure between 1 and 7 bar.
Capacity 24,9 litres.
Voltage: 230/400V III 50-60Hz.

TCC

Folding ironing table with electrically heated board and built in suction unit.
Without steam iron, without built-in boiler.
Board dimensions: 1.380 x 380 x 930 mm.

**OPTIONS**

- Wheels support

GENERAL DETAILS	UNIT.	SB-5
Boiler capacity	L	5,0
Steam pressure	Bar	-
Working temperature	°C	-
Working humidity	-	-
Boiler Heater	kW	1,45
Iron Heater	kW	0,80
Resistance table	W	-
Suction motor	W	-
POWER		
Boiler heaters	kW	-
Steam production	Kg/h	-
Pump motor power	HP	-
CONNECTIONS		
Water feeding inlet	in	-
Boiler exhaust	in	-
Steam inlet	in	-
Condensate return with valve	in	-
Autonomy	-	5/6
Operating pressure	BAR	2,8
DIMENSIONS		
Dimensions*	mm	262 x 397 x 1.090
Height with wheel stand mounted (option)	mm	1.580
Net weight	Kg	11
Gross weight	Kg	15
Packing dimensions	mm	600 x 450 x 540
Working dimensions	-	-
Voltage	V/Hz	230V 50
Sound level	dB	-

* Dimensions une fois assemblé