

Vacuum and blowing ironing tables

••• FEATURES

TP-BA (Without boiler)

Vacuum and blowing ironing table + iron, with electrically heated board and suction.

Work table dimensions 1.200 x 400 x 270mm.

Blowing unit needs external supply of compressed air.

Adjustable temperature of the board by means of a thermostat.

Built-in single phase suction unit.

Works by means of a pedal.

Electric heated board.

Needs to be connected to an external steam supply.

Voltage: 230V I +N 50Hz.

TPC-BA (With boiler)

Vacuum and blowing ironing table + iron with suction and electrically heated board and suction.

Work table dimensions 1.200 x 400 x 270mm.

Blowing unit needs external supply of compressed air.

Adjustable temperature of the board by means of a thermostat.

Built-in electric steam boiler. Iron included. Second iron as

Automatic water feeding, automatic pressure control.

Feeding pump and emptying valve.

Works by means of a pedal.

Electrical heating.

Voltage: 400V III +N / 230V III or 230V I +N 50Hz.



OPTIONS

- Sleeve arm for TP-A, TPC-A, TP-BA and TPC-BA
- Steam gun for TP-A, TPC-A, TP-BA and TPC-BA
- · Sliding trolley with light TP-BA and TPC-BA

| CAPACITY | UNIT. | TP-BA |
|--|--------|-------------------|
| | | SIN CALDERA |
| Boiler | - | NO |
| Boiler capacity | L | - |
| Board dimensions | mm | 1.200 x 400 x 270 |
| Adjustable height of board | - | YES |
| OPTIONS | | |
| Swinging arm with heated sleeve shape | - | OPT |
| Steam gun | - | OPT |
| Sliding trolley with balancer and lighting | - | OPT |
| Second steam iron assembly | - | NO |
| POWER | | |
| Vacuum motor | kW | 0,45 |
| Pump motor | kW | - |
| Iron heater | kW | 0,83 |
| Board heater | kW | 1 |
| Boiler heater | kW | - |
| Sleeve-arm heater (option) | kW | 0,09 |
| CONNECTIONS | | |
| Ø Water inlet | BSP | - |
| Ø Boiler exhaust (with boiler) | BSP | - |
| Ø Steam inlet | BSP | 1/4" |
| Steam pressure | BAR | - |
| Steam Consumption | kg/h | 5 |
| Ø Air inlet | BSP | - |
| Air pressure | BAR | - |
| Air Consumption | NI/min | - |
| DIMENSIONS / PACKING DIMENSIONS | | |
| Net width / Gross width | mm | 1.500 / 1.520 |
| Net depth / Gross depth | mm | 600 / 580 |
| Net height / Gross height | mm | 930 / 1.120 |
| Net weight / Gross weight | kg/h | 81 / 97 |
| Volume | m³ | 0,84 / 0,99 |
| OTHER | | |
| Voltage 50-60Hz | V/Hz | 230V I 50 |
| Sound level | dB | 70 |





