

 **FEATURES****SB-2**

Electric steam boiler with steam iron.  
Die-cast aluminium boiler, capacity 1,8 liters, heater 1 kW.  
Manually operated water feeding (drinking water required for its functioning).  
Automatic pressure control by thermostat with fixed setting.  
Mobile trolley as option.  
Voltage: 230V I +N 50-60Hz.

**SB-5**

Stainless steel electric steam boiler with electric steam iron.  
Boiler capacity 5 liters, heater 1,45 kW.  
Water level indicator with warning light for empty boiler.  
Three safety devices fitted on the boiler: pressure switch, safety valve and safety thermostat.  
Manual water feed.  
Mobile trolley as option.  
Voltage: 230V I +N 50Hz.

**SB-24**

Electric and automatic steam boiler SB-24 to supply steam to models without boiler. Available from 12 to 22 kW.  
Water feed can be connected directly to the water mains or to a condensate tank. Pressure between 1 and 7 bar.  
Capacity 24,9 litres.  
Voltage: 230/400V III 50-60Hz.

**TCC**

Folding ironing table with electrically heated board and built in suction unit.  
Without steam iron, without built-in boiler.  
Board dimensions: 1.380 x 380 x 930 mm.



GENERAL DETAILS	UNIT.	TCC
Boiler capacity	L	-
Steam pressure	Bar	-
Working temperature	°C	-
Working humidity	-	-
Boiler Heater	kW	-
Iron Heater	kW	-
Resistance table	W	600
Suction motor	W	100
POWER		
Boiler heaters	kW	-
Steam production	Kg/h	-
Pump motor power	HP	-
CONNECTIONS		
Water feeding inlet	in	-
Boiler exhaust	in	-
Steam inlet	in	-
Condensate return with valve	in	-
Autonomy	-	-
Operating pressure	BAR	-
DIMENSIONS		
Dimensions*	mm	1.380 x 380 x 930
Height with wheel stand mounted (option)	mm	-
Net weight	Kg	22
Gross weight	Kg	32
Packing dimensions	mm	1.460 x 460 x 380
Working dimensions	-	1.100 x 380 x 240
Voltage	V/Hz	230V   50
Sound level	dB	-

\* Dimensions une fois assemblé